



BEAProducts

Supported Configurations for AquaLogic Service Bus 2.0

Copyright

Copyright © 2005 BEA Systems, Inc. All Rights Reserved.

Restricted Rights Legend

This software and documentation is subject to and made available only pursuant to the terms of the BEA Systems License Agreement and may be used or copied only in accordance with the terms of that agreement. It is against the law to copy the software except as specifically allowed in the agreement. This document may not, in whole or in part, be copied, photocopied, reproduced, translated, or reduced to any electronic medium or machine readable form without prior consent, in writing, from BEA Systems, Inc.

Use, duplication or disclosure by the U.S. Government is subject to restrictions set forth in the BEA Systems License Agreement and in subparagraph (c)(1) of the Commercial Computer Software-Restricted Rights Clause at FAR 52.227-19; subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.227-7013, subparagraph (d) of the Commercial Computer Software--Licensing clause at NASA FAR supplement 16-52.227-86; or their equivalent.

Information in this document is subject to change without notice and does not represent a commitment on the part of BEA Systems. THE SOFTWARE AND DOCUMENTATION ARE PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND INCLUDING WITHOUT LIMITATION, ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. FURTHER, BEA Systems DOES NOT WARRANT, GUARANTEE, OR MAKE ANY REPRESENTATIONS REGARDING THE USE, OR THE RESULTS OF THE USE, OF THE SOFTWARE OR WRITTEN MATERIAL IN TERMS OF CORRECTNESS, ACCURACY, RELIABILITY, OR OTHERWISE.

Trademarks or Service Marks

BEA, BEA JRockit, BEA Liquid Data for WebLogic, BEA WebLogic Server, Built on BEA, Jolt, JoltBeans, SteelThread, Top End, Tuxedo, and WebLogic are registered trademarks of BEA Systems, Inc. BEA AquaLogic, BEA AquaLogic Data Services Platform, BEA AquaLogic Enterprise Security, BEA AquaLogic Service Bus, BEA AquaLogic Service Registry, BEA Builder, BEA Campaign Manager for WebLogic, BEA eLink, BEA Manager, BEA MessageQ, BEA WebLogic Commerce Server, BEA WebLogic Enterprise, BEA WebLogic Enterprise Platform, BEA WebLogic Enterprise Security, BEA WebLogic Express, BEA WebLogic Integration, BEA WebLogic Java Adapter for Mainframe, BEA WebLogic JDriver, BEA WebLogic JRockit, BEA WebLogic Log Central, BEA WebLogic Personalization Server, BEA WebLogic Platform, BEA WebLogic Portal, BEA WebLogic Server Process Edition, BEA WebLogic WorkGroup Edition, BEA WebLogic Workshop, and Liquid Computing are trademarks of BEA Systems, Inc. BEA Mission Critical Support is a service mark of BEA Systems, Inc. All other company and product names may be the subject of intellectual property rights reserved by third parties.

All other trademarks are the property of their respective companies.

Content

1. AquaLogic Service Bus 2.0 Supported Configurations

List of Supported Operating System Configurations	1-1
Data Transformation Tools	1-2

2. Supported Browsers and Firewalls

Browsers and Plug-Ins	2-1
Browsers Supported by AquaLogic Service Bus 2.0	2-1
Firefox Browser Settings	2-1
Java Plug-In Required for Online Help	2-2
Firewalls	2-2

3. Supported Database Configurations

Database Access Requirements	3-1
Support for Databases	3-1
Support for JDBC Drivers	3-2
JDBC Drivers Bundled with AquaLogic Service Bus	3-2
Configuring JDBC Drivers	3-3
Database Versions and Drivers Supported for AquaLogic Service Bus 2.0	3-4

4. Product Support Information

Important Support Information	4-1
AquaLogic Service Bus Support	4-1
Supported Hardware	4-2
Support Policy for Third-Party JVMs	4-2
End-of-Life and Product Lifecycle Policy Information	4-2

AquaLogic Service Bus 2.0 Supported Configurations

The following topics provide important information about the hardware and software configurations supported by BEA for AquaLogic Service Bus 2.0:

- [List of Supported Operating System Configurations](#)
- [Data Transformation Tools](#)
- [Supported Browsers and Firewalls](#)
- [Supported Database Configurations](#)
- [Product Support Information](#)

List of Supported Operating System Configurations

The following table lists the operating system and hardware configurations on which BEA supports AquaLogic Service Bus 2.0. To view detailed support information about a particular configuration, select the name of the relevant operating system.

Operating System and Hardware	AquaLogic Service Bus 2.x
HP-UX 11i, 11i V2 on PA-RISC	2.0
HP-UX 11i V2 on Itanium	2.0

Operating System and Hardware	AquaLogic Service Bus 2.x
Microsoft Windows on x86: <ul style="list-style-type: none">• 2000 Professional SP4• 2000 Server, Advanced Server, Datacenter SP4• Server 2003 Standard, Enterprise, Datacenter SP1• XP SP2	2.0
Red Hat Enterprise Linux 3.0 AS, ES, WS on x86	2.0
Red Hat Enterprise Linux 4.0 AS, ES, WS on AMD64/EM64T	2.0
Sun Solaris 8, 9, 10 on SPARC	2.0

BEA provides full support for these operating system and hardware configurations only. We are continuously working to provide support for more configurations. Please contact your sales representative for information about configurations not listed in this table.

For information about supported databases, see [“Database Versions and Drivers Supported for AquaLogic Service Bus 2.0” on page 3-4.](#)

Data Transformation Tools

The following data transformation tools are installed with AquaLogic Service Bus:

- XQuery Mapper plug-in for Eclipse 3.0
- Format Builder

Eclipse 3.0 and Format Builder are supported only on Windows configurations.

Note: The BEA XQuery Mapper is a set of plug-ins in Eclipse. Note that the installation of Eclipse with the AquaLogic Service Bus product does not include the Java Development Tooling (JDT) plug-ins or the Plug-in Development Environment (PDE) toolkit. You can add other plug-ins to the Eclipse IDE provided with AquaLogic Service Bus. However, when you attempt to install a plug-in, any plug-ins that it depends on must already be installed. Likewise, if the plug-in you want to install depends on the JDT or the PDE, you must install these first. You can download the PDE and JDT plug-ins from <http://www.eclipse.org>.

Supported Browsers and Firewalls

This section describes AquaLogic Service Bus 2.0 support for the following configuration components:

- [Browsers and Plug-Ins](#)
- [Firewalls](#)

Browsers and Plug-Ins

The following sections provide information about browser and browser plug-in support for AquaLogic Service Bus.

Browsers Supported by AquaLogic Service Bus 2.0

AquaLogic Service Bus 2.0 can be accessed through either of the following browsers:

- Microsoft Internet Explorer 6.0 SP1 (and higher)
- Firefox 1.0

Firefox Browser Settings

If a page is not displayed correctly in your Firefox browser (for example, if the display of the left navigation bar occupies an entire window instead of part of a window), you may have to replace the default browser settings, as described in the following procedure:

1. Go to one of the following directories: `MOZILLA_HOME/default/pref` or `MOZILLA_HOME/greprefs`.
2. Open `all.js`.
3. Find `browser.cache.check_doc_frequency` and change the value to 1.
 - The default setting is `pref("browser.cache.check_doc_frequency", 3)`.
 - The new setting is `pref("browser.cache.check_doc_frequency", 1)`.
4. Save the file.

Java Plug-In Required for Online Help

The documentation for the following is displayed in a browser-based viewer that includes a search function performed by a Java applet:

- WebLogic Server Administration Console online help
- Configuration Wizard online help
- Domain Template Builder online help
- WebLogic Server code examples
- *WebLogic Server MBean Reference*

The search applet requires a Java plug-in. If you do not have this plug-in installed on your system and you want to be able to search this documentation, you must install the plug-in.

Firewalls

AquaLogic Service Bus 2.0 and all later 2.0 releases support network devices, such as firewalls, that properly support network protocols and the 7-Layer Network Model.

BEA will perform root cause analysis on interaction problems between AquaLogic Service Bus and network devices, and it will address AquaLogic Service Bus 2.0 product issues as appropriate, but it cannot address network address issues.

Supported Database Configurations

This section includes the following topics:

- [Database Access Requirements](#)
- [Support for Databases](#)
- [Support for JDBC Drivers](#)
- [Database Versions and Drivers Supported for AquaLogic Service Bus 2.0](#)

Database Access Requirements

AquaLogic Service Bus requires the following database-specific resources:

- Access to a database server installed on the local network. When AquaLogic Service Bus is installed on your system, a local copy of the PointBase database is provided. This copy of the database is provided solely for evaluation purposes. For any other use of the PointBase Server, the user is required to obtain a separate PointBase Server license directly from DataMirror.
- If you plan to use the JMS Reporting Provider, then a database server account with privileges sufficient for creating a database with tables must be available.

Support for Databases

BEA provides support for application connectivity and communication with databases. Specifically, WebLogic Server and AquaLogic Service Bus (which runs on WebLogic Server)

support the use of both JDBC drivers and any database that is accessible through a JDBC driver that meets the following requirements:

- The driver *must* be threadsafe. WebLogic Server is a highly multithreaded application and there are drivers (the JDBC-ODBC bridge from Sun, for example) that cannot be used with WebLogic Server.
- The driver must implement standard JDBC transactional calls, such as `setAutoCommit()` and `setTransactionIsolation()`, when used in transactionally aware environments, such as for EJBs.

Note the following restrictions:

- Third-party JDBC drivers that do not implement serializable or remote interfaces cannot pass objects to an RMI client application.
- Certain features of WebLogic Server, such as Container Managed Persistence (CMP), may not be supported with particular databases. For more information, see the WebLogic Server documentation at <http://e-docs.bea.com/wls/docs90/index.html>.

Support for JDBC Drivers

This section provides:

- [JDBC Drivers Bundled with AquaLogic Service Bus](#)
- [Configuring JDBC Drivers](#)

JDBC Drivers Bundled with AquaLogic Service Bus

The following table lists the database drivers that are installed with AquaLogic Service Bus 2.0.

Table 3-1 Database Drivers Available with AquaLogic Service Bus 2.0

Type	Driver	For more information, see . . .
BEA WebLogic Type 4 JDBC drivers	<ul style="list-style-type: none"> BEA WebLogic Type 4 JDBC Oracle Driver BEA WebLogic Type 4 XA JDBC Oracle Driver 	<i>WebLogic Type 4 JDBC Drivers:</i> http://e-docs.bea.com/wls/docs90/jdbc_drivers/index.html
Third-party drivers	<ul style="list-style-type: none"> Oracle Thin Driver 10g Oracle Thin/XA Driver 10g PointBase Type 4 Driver 	“Using Third-Party Drivers with WebLogic Server” in <i>Programming WebLogic JDBC</i> : http://e-docs.bea.com/wls/docs90/jdbc/thirdparty.html

Configuring JDBC Drivers

The Configuration Wizard and the WebLogic Server Administration Console provide default configuration settings for the drivers listed in “[Support for JDBC Drivers](#)” on page 3-2, and the drivers listed in “[Database Versions and Drivers Supported for AquaLogic Service Bus 2.0](#)” on page 3-4. In some cases, support for configuring third-party drivers is provided even though the driver itself is not bundled with the product.

For more information about configuring drivers from third-party vendors, see “Using Third-Party Drivers with WebLogic Server” in *Programming WebLogic JDBC* at: <http://e-docs.bea.com/wls/docs90/jdbc/thirdparty.html>.

Note: AquaLogic Service Bus does not support custom configuration, through the Configuration Wizard, of all the third-party drivers supported for custom configuration by WebLogic Server. For a list of drivers supported by AquaLogic Service Bus, see [Table 3-2, “Database Types and Drivers Supported by AquaLogic Service Bus 2.0,”](#) on page 3-4.

Database Versions and Drivers Supported for AquaLogic Service Bus 2.0

The following table lists the types and versions of databases and drivers supported for use with AquaLogic Service Bus 2.0.

Table 3-2 Database Types and Drivers Supported by AquaLogic Service Bus 2.0

Database Type	JDBC Driver	Notes
Oracle 9.2.0.4 and later patch sets of 9.2.x	<ul style="list-style-type: none"> • Oracle Thin Driver 10g • Oracle Thin/XA Driver 10g • BEA WebLogic Type 4 JDBC Oracle Driver • BEA WebLogic Type 4 XA JDBC Oracle Driver 	The Oracle Thin Driver 10g and Oracle Thin/XA Driver 10g are the default drivers for AquaLogic Service Bus 2.0.
Oracle 10.1.0.4 and later patch sets of 10.1.x	<ul style="list-style-type: none"> • Oracle Thin Driver 10g • Oracle Thin/XA Driver 10g 	The Oracle Thin Driver 10g and Oracle Thin/XA Driver 10g are the default drivers for AquaLogic Service Bus 2.0.
PointBase 5.1	PointBase Type 4 Driver	PointBase Server is an all-Java DBMS product included in the WebLogic Server distribution solely for evaluation purposes, either in the form of custom trial applications or through packaged sample applications provided with WebLogic Server. Non-evaluation development or other use of the PointBase Server requires that a separate PointBase Server license be obtained by the end user directly from DataMirror.
Other databases	Any threadsafe, compliant driver supplied by WebLogic Server. For details, see “ Support for Databases ” on page 3-1.	Other databases may be used for data access through WebLogic Server.

For more information about using database drivers, see “Using Third-Party Drivers with WebLogic Server” in *Programming WebLogic JDBC* at:

<http://e-docs.bea.com/wls/docs90/jdbc/thirdparty.html>.

Product Support Information

The following sections provide product support information about AquaLogic Service Bus 2.0:

- [Important Support Information](#)
- [End-of-Life and Product Lifecycle Policy Information](#)

Important Support Information

The following sections provides guidance about high-level support policies:

- [AquaLogic Service Bus Support](#)
- [Supported Hardware](#)
- [Support Policy for Third-Party JVMs](#)

AquaLogic Service Bus Support

BEA supports AquaLogic Service Bus software on the configurations supported in this document. The supported configurations include multiple combinations of hardware, operating systems, JDKs, database systems, Web servers, and browsers that can be used with AquaLogic Service Bus software. We are working to increase the number of configurations we support, and will update this information as new supported configurations are added.

Please contact your sales representative for information about configurations not listed in this document. Note that even using a supported configuration does not guarantee that you will never encounter operating system and JVM issues while running your application. We suggest that

customers regularly check their operating system and JVM vendor Web sites for information and patches recommended by those vendors.

Supported Hardware

BEA supports AquaLogic Service Bus software on the hardware chip architectures specified in [“List of Supported Operating System Configurations” on page 1-1](#). In some cases, the same chip architecture is provided by multiple vendors. BEA supports such implementations when they are certified for compliance by their respective owners.

For example, Fujitsu offers a line of machines called Primepower. Because Sun has certified Primepower systems for SPARC compatibility, all Primepower computers are supported for any SPARC-based system listed in [“List of Supported Operating System Configurations” on page 1-1](#).

Support Policy for Third-Party JVMs

A Java Virtual Machine (JVM) is required for AquaLogic Service Bus to run. For your convenience, in most cases the AquaLogic installation program includes a JVM for creation of AquaLogic domain configurations and use of AquaLogic software. For details, see the installation guide for AquaLogic Service Bus.

If the JVM used in your configuration is not the BEA JRockit JVM, but a JVM provided by a third party, BEA cannot directly resolve potential issues traced to the third-party JVM. Support for a third-party JVM must be provided by the JVM vendor.

The version of any third-party JVM bundled by BEA is recommended by the JVM vendor at the time BEA releases its product. Because the versions of JVMs supported by vendors change over time, please consult with your JVM vendor and confirm the latest configurations at http://e-docs.bea.com/platform/suppconfigs/configs_al20/20_over/overview.html to understand the latest JVM support information before using a third-party JVM.

End-of-Life and Product Lifecycle Policy Information

- For notification of changes in the release lifecycle for BEA products, as well as information about BEA support for third-party products reaching end-of-life, see [BEA Product End-of-Life Announcements](#).
- For BEA’s product lifecycle policy, see [BEA Product Lifecycle Policy](#).