

Oracle® Banking APIs Cloud Service

Data Protection Guide



Release 25.1.2.0.0

G51556-01

April 2026

ORACLE®

Copyright © 2006, 2026, Oracle and/or its affiliates.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software, software documentation, data (as defined in the Federal Acquisition Regulation), or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software," "commercial computer software documentation," or "limited rights data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle®, Java, MySQL, and NetSuite are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

Contents

Preface

Purpose	i
Audience	i
Documentation Accessibility	i
Diversity and Inclusion	i
Conventions	ii
Screenshot Disclaimer	ii
Acronyms and Abbreviations	ii

1 Objective and Scope

1.1 Background	1
1.2 Objective	1
1.3 Scope	1

2 Personally Identifiable Information (PII)

3 Flow of PII Data

4 Administration of PII Data

4.1 Extracting PII data	1
4.1.1 Data stored in OBAPI	1
4.1.2 Data stored outside OBAPI	3
4.2 Deleting or Purging PII data	3
4.2.1 Using User Interface	3
4.2.2 Using purge procedures	4
4.2.3 Deleting or Purging PII data	4
4.3 Masking of PII data	7

5 Access Control for Audit Information

6 User exporting the PII data

7 Third Party Consents

8 Device ID Consents

Index

Preface

- [Purpose](#)
- [Audience](#)
- [Documentation Accessibility](#)
- [Diversity and Inclusion](#)
- [Conventions](#)
- [Screenshot Disclaimer](#)
- [Acronyms and Abbreviations](#)

Purpose

This guide is designed to help acquaint you with the Oracle Banking application. This guide provides answers to specific features and procedures that the user need to be aware of the module to function successfully.

Audience

This document is intended for the following audience:

- Customers
- Partners

Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc>.

Access to Oracle Support

Oracle customers that have purchased support have access to electronic support through My Oracle Support. For information, visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=info> or visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=trs> if you are hearing impaired.

Diversity and Inclusion

Oracle is fully committed to diversity and inclusion. Oracle respects and values having a diverse workforce that increases thought leadership and innovation. As part of our initiative to build a more inclusive culture that positively impacts our employees, customers, and partners, we are working to remove insensitive terms from our products and documentation. We are also mindful of the necessity to maintain compatibility with our customers' existing technologies and

the need to ensure continuity of service as Oracle's offerings and industry standards evolve. Because of these technical constraints, our effort to remove insensitive terms is ongoing and will take time and external cooperation.

Conventions

The following text conventions are used in this document:

Convention	Meaning
boldface	Boldface type indicates graphical user interface elements associated with an action, or terms defined in text or the glossary.
<i>italic</i>	Italic type indicates book titles, emphasis, or placeholder variables for which you supply particular values.
<code>monospace</code>	Monospace type indicates commands within a paragraph, URLs, code in examples, text that appears on the screen, or text that you enter.

Screenshot Disclaimer

Personal information used in the interface or documents is dummy and does not exist in the real world. It is only for reference purposes.

Acronyms and Abbreviations

The list of the acronyms and abbreviations used in this guide are as follows:

Table 1 Acronyms and Abbreviations

Abbreviation	Description
OBDXCS	Oracle Banking Digital Experience Cloud Service

1

Objective and Scope

- [Background](#)
OBAPI is designed to help banks respond strategically to today's business challenges, while also transforming their business models and processes to reduce operating costs and improve productivity across both front and back offices.
- [Objective](#)
By the very nature of PII data, it is necessary for the Bank to be aware of the information being acquired or used or stored by OBAPI.
- [Scope](#)
This document is intended for technical staff of the Bank as well as administration users of the Bank and provides information about following aspects of the PII data.

1.1 Background

OBAPI is designed to help banks respond strategically to today's business challenges, while also transforming their business models and processes to reduce operating costs and improve productivity across both front and back offices.

It is a one-stop solution for a bank that seeks to leverage Oracle Fusion experience across its core banking operations across its retail and corporate offerings.

OBAPI provides a unified yet scalable IT solution for a bank to manage its data and end-to-end business operations with an enriched user experience. It comprises pre-integrated enterprise applications leveraging and relying on the underlying Oracle Technology Stack to help reduce in-house integration and testing efforts.

In order to provide these services OBAPI needs to acquire, use or store personally identifiable information (PII). In some cases, OBAPI may be owner of the PII data and in some other cases OBAPI might just acquire and use this data for providing required services to the customer.

1.2 Objective

By the very nature of PII data, it is necessary for the Bank to be aware of the information being acquired or used or stored by OBAPI.

This knowledge will enable the Bank to take necessary measures and put apt policies and procedures in place to deal with PII data. In some of the geographies Bank might need to comply with local laws and regulations for dealing with PII data. This document attempts to provide necessary information so as to enable the Bank to do so.

1.3 Scope

This document is intended for technical staff of the Bank as well as administration users of the Bank and provides information about following aspects of the PII data.

- Identifies what PII data is acquired, used or stored in OBAPI
- Process to extract PII data from OBAPI

- Process to purge and delete the PII data from OBAPI

Out of scope

This document does not intend to suggest that OBAPI is out of box compliant with any local laws and regulations related to data protection. The purpose of this document is to provide information about PII data dealt with in the system so that the Bank can put in place appropriate processes to comply with laws and regulations of the land.

2

Personally Identifiable Information (PII)

Personally identifiable information (PII) is any data that could potentially identify a specific individual. Any information that can be used to distinguish one person from another and can be used to de-anonymizing anonymous data can be considered PII.

OBAPI needs to acquire, use or store some PII data of the customers of the Bank in order to perform its desired services. This section declares the PII data captured by OBAPI so that the Bank is aware of the same and adopts necessary operational procedures and checks in order to protect PII data in the best interest of its customers.


Fields	OBAPI 22.2
Bank account information	Yes
Beneficiaries	Yes
Biometric records	No
Birthplace	No
Bonus	No
Country, state, or city of residence	Yes
Credit card numbers	No
Criminal record	No
Date of birth	Yes
Digital identity	No
Disability leave	No
Driver's license number	Yes
Education history	No
Email address	Yes
Emergency contacts	No
Employee ID	Yes
Ethnicity	No
Financial information and accounts	Yes
Fingerprints	No
Full name	Yes
Gender	Yes
Genetic information	No
Health information (including conditions, treatment, and payment)	No
Healthcare providers and plans	No
Personal/office telephone numbers	Yes
IP address	No
Job title	Yes

Fields	OBAPI 22.2
Login name	Yes
MAC address	Yes
Marital status	Yes
Military rank	No
Mother's maiden name	No
National identification number	Yes
Passport number	Yes
Performance evaluation	No
Personal phone number	Yes
Photographic images	Yes
PIN numbers	Yes
Political affiliations	No
Property title information	No
Religion	No
Salary	Yes
Screen name	No
Sexual life	No
Social security number	Yes
Taxpayer information	Yes
Union membership	No
Vehicle registration number	Yes
Work telephone	Yes
Citizenship Number	No
Geo-Location	No
Product has Customer defined fields	No
Mobile Subscriber Identifier (IMSI)	No
Surname	Yes
First name	Yes

3

Flow of PII Data

This section depicts the flow 'personally identifiable information' (PII) within the OBAPI system in the form of a data flow diagram.



The Bank Administrator is Bank's employee who is performing administrative functions using OBAPI. As part of these, he will be dealing with PII data. An example is that the Administrator creates Retail and Corporate users in OBAPI and while creating users he/she enters user information such as first name, last name, email address, mobile number, correspondence address etc.

Retail / Corporate Customer is Bank's customer who is accessing the online banking features. As part of this he/she will be able to see his/her accounts, balances, beneficiaries, transactions, profile details etc. Note that OBAPI also supports onboarding of new users. The system captures some user information such as first name, last name, email address, mobile number, correspondence address and financial information such as income profile.

DBA / Bank IT Staff is Bank's employee who is not a user of OBAPI but has access to the database that stores OBAPI bank end data or the server environments on which OBAPI is deployed.

Web server typically contains static web content such as styling information (CSS), Javascript resources, images, static HTMLs etc. Web server passes the REST service calls to Application server.

Application (App) Server is the server on which OBAPI services are deployed. This server performs required processing on the service calls. It does use the database for retrieval or storage of data. It can also connect to external user credential store (such as OUD or Open LDAP). It can also connect to core product processor to enquiring CIF or Account related data or for posting any transactions initiated by the Retail or Corporate customer.

Database is the persistence store for OBAPI. It can contain primary configuration data, user data and transactional data.

ODU / LDAP represents the external user credentials store. OBAPI does not maintain user credentials locally but depends on external specialized software to do that. An example can be Oracle Unified Directory (ODU) or Open LDAP.

Product Processor is the core banking solution which actually processes actual banking transactions. OBAPI connects to the product processor to fetch data such as CIFs or Accounts or transactions. It also connects to the product processor to post new transaction initiated by Retail or Corporate customer.

4

Administration of PII Data

This section provides information about doing administrative tasks on PII data. This includes retrieval, modification, deletion or purging of such data.

- [Extracting PII data](#)
OBAPI stores some PII data in its database and it also accesses data stored or owned by external systems such as OUD / LDAP or product processor.
- [Deleting or Purging PII data](#)
There are two ways in which PII data can be deleted or purged from the system.
- [Masking of PII data](#)
OBAPI framework provides a facility to mask user sensitive information before showing on the screen.

4.1 Extracting PII data

OBAPI stores some PII data in its database and it also accesses data stored or owned by external systems such as OUD / LDAP or product processor.

- [Data stored in OBAPI](#)
This section provides information about the tables that store PII data. This information is useful for the Bank to extract PII information.
- [Data stored outside OBAPI](#)
OBAPI can store user information in external systems such as OUD or LDAP. OBAPI provides screens for fetching this data. Please refer to the '**User Management**' topic of **User Manual Oracle Banking APIs Core** of OBAPI for more details.

4.1.1 Data stored in OBAPI

This section provides information about the tables that store PII data. This information is useful for the Bank to extract PII information.

PII Data	Table
Bank account information	DIGX_AC_ACCOUNT_NICKNAME
	DIGX_AM_ACCOUNT_ACCESS
	DIGX_AM_ACCOUNT_EXCEPTION
Beneficiaries	DIGX_PY_PAYEE_V3
	DIGX_PY_INTERNAL_PAYEE_V3
	DIGX_PY_DEMANDDRAFT_PAYEE_V3
	DIGX_PY_INTNATNL_PAYEE_BNKDTLS_V3
	DIGX_PY_PEERTOPEER_PAYEE_V3
	DIGX_PY_INTERNATIONAL_PAYEE_V3
	DIGX_PY_GLOBAL_PAYEE_V3
	DIGX_PY_DOMESTIC_PAYEE_V3

PII Data	Table
Country, state, or city of residence	DIGX_OR_APPLICANT, DIGX_OR_APPLICANT_ADDRESS
	DIGX_UM_USERPROFILE
Date of birth	DIGX_OR_APPLICANT
	DIGX_UM_USERPROFILE
Driver's license number	DIGX_OR_APLT_IDNT
Email address	DIGX_OR_APPLICANT_CONTACT
	DIGX_OR_EMAIL_VERIFICATION
	(used only for email verification, data is purged once email is verified) DIGX_UM_USERPROFILE
Email ID	DIGX_AP_TRANSACTION
Employee ID	DIGX_OR_APLT_EMPT
Financial information and accounts	Only financial information(Income, Asset, expense, Liability)
	DIGX_OR_APLT_FIN_INCM
	DIGX_OR_APLT_FIN_AST
	DIGX_OR_APLT_FIN_EXP
	DIGX_OR_APLT_FIN_LIB
Full name	DIGX_OR_APPLICANT
	DIGX_UM_USERPROFILE
	DIGX_AP_TRANSACTION
Gender	DIGX_OR_APPLICANT
Personal/office telephone numbers	DIGX_OR_APPLICANT_CONTACT
	DIGX_UM_USERPROFILE
	DIGX_AP_TRANSACTION
Job title	DIGX_OR_APLT_EMPT
	DIGX_UM_USERPROFILE
Login name	DIGX_UM_USERAPPDATA
	DIGX_UM_USERPARTY_RELATION
	USERS
	GROUPMEMBERS
	DIGX_UM_USERPROFILE
	DIGX_AM_ACCOUNT_ACCESS
MAC Address	DIGX_AUDIT_LOGGING
Marital status	DIGX_OR_APPLICANT
National identification number	DIGX_OR_APLT_IDNT
Passport number	DIGX_OR_APLT_IDNT
Personal phone number	DIGX_OR_APPLICANT_CONTACT
PIN numbers	DIGX_OR_APPLICANT_ADDRESS
Salary	DIGX_OR_APLT_FIN_INCM, DIGX_OR_APLT_EMPT
Social security number	DIGX_OR_APLT_IDNT
Taxpayer information	DIGX_OR_APLT_IDNT
Vehicle registration number	DIGX_OR_APLT_IDNT
Work telephone	DIGX_OR_APPLICANT_CONTACT
Surname	DIGX_OR_APPLICANT

PII Data	Table
	DIGX_UM_USERPROFILE
	DIGX_AP_TRANSACTION
First name	DIGX_OR_APPLICANT
	DIGX_UM_USERPROFILE
	DIGX_AP_TRANSACTION

Please note that OBAPI provides user interface to access most of this data. The data will be accessible to you only if you have required roles and policies mapped to your OBAPI login. For example, an Administrator user can see retail user's profile only if he is entitled by a policy to access this information.

4.1.2 Data stored outside OBAPI

OBAPI can store user information in external systems such as OUD or LDAP. OBAPI provides screens for fetching this data. Please refer to the **'User Management'** topic of **User Manual Oracle Banking APIs Core** of OBAPI for more details.

Also note that the data can be accessed directly from the external system i.e. OUD, Open LDAP or the Product Processor. These details are outside the scope of this document. Please refer to the manual of corresponding software for more details.

4.2 Deleting or Purging PII data

There are two ways in which PII data can be deleted or purged from the system.

- [Using User Interface](#)
The information created in (or owned by) OBAPI can be deleted from its user interface. For example, a retail user can delete the beneficiaries he/she has maintained. Please refer to the **'Manage Payee'** topic of **User Manual Oracle Banking Digital Experience Retail Payments** for more details.
- [Using purge procedures](#)
OBAPI provides some out of the box purge procedure that can be used to purge the data. Otherwise the DBA / IT staff can prepare similar procedures to purge required data.
- [Deleting or Purging PII data](#)
In scenarios where OBAPI does not have user interface to remove customer data and scheduled purge option is not useful, then data needs to be purged using SQL scripts.

4.2.1 Using User Interface

The information created in (or owned by) OBAPI can be deleted from its user interface. For example, a retail user can delete the beneficiaries he/she has maintained. Please refer to the **'Manage Payee'** topic of **User Manual Oracle Banking Digital Experience Retail Payments** for more details.

Note that user's data such as CIF or account number is not owned by OBAPI and hence it cannot be deleted from OBAPI. However information such as account access granted to a particular user can be modified or deleted by the bank administrator. Please refer to the **'Party Account Access'** and **'User Account Access'** topics of the **User Manual Oracle Banking APIs Core** for more details.

4.2.2 Using purge procedures

OBAPI provides some out of the box purge procedure that can be used to purge the data. Otherwise the DBA / IT staff can prepare similar procedures to purge required data.

However note that it is not recommended to purge or delete any data stored in OBAPI tables without doing detailed impact analysis. Please also note that the purge jobs are useful typically for purging old data. They may not be useful for purging data of a specific customer.

Procedure name -

DIGX_USER_PII_DATA_PURGE.sql

Procedure input parameter –

User Id (unique identifier of user) which is to be purged.

Description -

DIGX_USER_PII_DATA_PURGE will permanently purge the user and all the PII data associated with the user from all the database tables of OBAPI.

It must be noted that once user is purged then associated PII data and user cannot be retrieved under any circumstances.

Associated table -

This table holds data of table names and field names of tables containing User Id. Procedure fetches data from table DIGX_UM_USERS_ASSOCIATIONS and deletes all the PII data related to the provided User Id

Steps to run -

Run the procedure with providing User Id as input parameter.

4.2.3 Deleting or Purging PII data

In scenarios where OBAPI does not have user interface to remove customer data and scheduled purge option is not useful, then data needs to be purged using SQL scripts.

Below section provides some queries that can be used for such a purging. This option must be used with utmost care and proper impact analysis must be done before using these scripts.

PII Data	Table	Script
For modules other than Origination: Personal information of user including Country, state, or city of residence, Date of birth, Email address, Employee ID, Full name, Gender, Personal/office telephone numbers, Login name, Work telephone, First Name, Surname	USERS GROUPMEMBERS DIGX_UM_USERPROFILE DIGX_UM_USERAPPPDATA DIGX_UM_USERPARTY_RELATION DIGX_UM_REGISTRATION	delete from digx_um_userparty_relation where user_id = '<USER IDENTIFIER>'; delete from digx_um_userappdata where id = '<USER IDENTIFIER>'; delete from DIGX_UM_USERPROFILE where U_NAME = '<USER IDENTIFIER>'; delete from GROUPMEMBERS where G_MEMBER = '<USER IDENTIFIER>'; delete from USERS where U_NAME = '<USER IDENTIFIER>';

PII Data	Table	Script
Bank Account Information	DIGX_AC_ACCOUNT_NICKNAME	delete from DIGX_AC_ACCOUNT_NICKNAME where USER_ID = <USER IDENTIFIER>;
	DIGX_AM_ACCOUNT_ACCESS	delete from DIGX_AM_ACCOUNT_EXCEPTION where ACCOUNT_ACCESS_ID in (select ACCOUNT_ACCESS_ID from DIGX_AM_ACCOUNT_ACCESS where ACCESS_LEVEL = 'USER' and USERID = <USER IDENTIFIER>);
	DIGX_AM_ACCOUNT_EXCEPTION	delete from DIGX_AM_ACCOUNT_ACCESS where ACCESS_LEVEL = 'USER' and USERID = <USER IDENTIFIER>;

PII Data	Table	Script
Beneficiaries	DIGX_PY_PAYEEGROUP	delete from
	DIGX_PY_PAYEE	DIGX_PY_INTNATNL_PAYEE_BNKDTLS_
	DIGX_PY_DOMESTIC_UK_PAYEE	V3 where PAYEE_ID in (select
	DIGX_PY_INTERNAL_PAYEE	PAYEE_ID from DIGX_PY_PAYEE_V3
	DIGX_PY_DEMANDDRAFT_PAYEE	where CREATED_BY = <USER
	DIGX_PY_INTNATNL_PAYEE_BNKDTLS	IDENTIFIER>);
	DIGX_PY_DOMESTIC_INDIA_PAYEE	delete from
	DIGX_PY_PEERTOPEER_PAYEE	DIGX_PY_INTERNATIONAL_PAYEE_V3
	DIGX_PY_INTERNATIONAL_PAYEE	where PAYEE_ID in (select
	DIGX_PY_DOMESTIC_SEPA_PAYEE	PAYEE_ID from DIGX_PY_PAYEE_V3
		where CREATED_BY = <USER
		IDENTIFIER>);
		delete from
		DIGX_PY_DEMANDDRAFT_PAYEE_V3
		where PAYEE_ID in (select
		PAYEE_ID from DIGX_PY_PAYEE_V3
		where CREATED_BY = <USER
		IDENTIFIER>);
		delete from
		DIGX_PY_DOMESTIC_PAYEE_V3 where
		PAYEE_ID in (select PAYEE_ID
		from DIGX_PY_PAYEE_V3 where
		CREATED_BY = <USER
		IDENTIFIER>);
		delete from
		DIGX_PY_INTERNAL_PAYEE_V3 where
		PAYEE_ID in (select PAYEE_ID
		from DIGX_PY_PAYEE_V3 where
		CREATED_BY = <USER
		IDENTIFIER>);
		delete from
		DIGX_PY_PEERTOPEER_PAYEE_V3
		where PAYEE_ID in (select
		PAYEE_ID from DIGX_PY_PAYEE_V3
		where CREATED_BY = <USER
		IDENTIFIER>);
		delete from
		DIGX_PY_PAYEE_PARTY_MAP_V3
		where PAYEE_ID in (select
		PAYEE_ID from DIGX_PY_PAYEE_V3
		where CREATED_BY = <USER
		IDENTIFIER>);
		delete from DIGX_PY_PAYEE_V3 where
		CREATED_BY = <USER IDENTIFIER>;

PII Data	Table	Script
Party/User Information in Originations	DIGX_OR_APPLICANT	<code>delete from DIGX_OR_APLT_FIN_INCM</code>
	DIGX_OR_APPLICANT_ADDRESS	<code>where APPLICANT_ID =</code>
		<code>'<APPLICANT IDENTIFIER>';</code>
	<code>delete from DIGX_OR_APLT_FIN_EXP</code>	<code>delete from DIGX_OR_APLT_FIN_AST</code>
	<code>where APPLICANT_ID =</code>	<code>where APPLICANT_ID =</code>
	<code>'<APPLICANT IDENTIFIER>';</code>	<code>'<APPLICANT IDENTIFIER>';</code>
	DIGX_OR_APLT_IDNT	<code>delete from DIGX_OR_APLT_FIN_LIB</code>
	DIGX_OR_APPLICANT_CONTACT	<code>where APPLICANT_ID =</code>
	DIGX_OR_EMAIL_VERIFICATION	<code>'<APPLICANT IDENTIFIER>';</code>
	DIGX_OR_APLT_EMPTY	<code>delete from DIGX_OR_APLT_EMPTY</code>
	DIGX_OR_APLT_FIN_INCM	<code>where APPLICANT_ID =</code>
	DIGX_OR_APLT_FIN_AST	<code>'<APPLICANT IDENTIFIER>';</code>
	DIGX_OR_APLT_FIN_EXP	<code>delete from DIGX_OR_APLT_IDNT</code>
	DIGX_OR_APLT_FIN_LIB	<code>where APPLICANT_ID =</code>

```

'<APPLICANT IDENTIFIER>';

delete
from DIGX_OR_APPLICANT_CONTACT
where APPLICANT_ID =
'<APPLICANT IDENTIFIER>';

delete
from DIGX_OR_EMAIL_VERIFICATION
where SUBMISSION_ID =
'<SUBMISSION IDENTIFIER>';

delete
from DIGX_OR_APPLICANT_ADDRESS
where APPLICANT_ID =
'<APPLICANT IDENTIFIER>';

delete from DIGX_OR_APPLICANT
where PARTY_ID = '<PARTY
IDENTIFIER>';

```

4.3 Masking of PII data

OBAPI framework provides a facility to mask user sensitive information before showing on the screen.

Masking is a process in which only some portion of the data is displayed to the user while remaining portion of the data is either skipped or is replaced with hash characters such as '*'. Main purpose of masking is to avoid a possibility of 'over the shoulder' stealing of sensitive information. However it is also used so that the clear text sensitive information is not logged in system logs.

A typical example of masking is the account numbers. When OBAPI API is invoked that contains Account number in the response, the API will always give masked value. So complete clear text account number is never displayed on the screen.

Sr. No.	Field Name
1	Party Identifier
2	Account Number (Includes current account, saving account, deposit, loan account)
3	Mobile/phone number

Sr. No.	Field Name
4	E-mail ID
5	Social Security Number
6	Submission Identifier
7	Application Identifier

OBAPI framework also provides a provision in which any field other than the ones mentioned in the above table can also be masked as per the requirement. This can be achieved by following steps:

1. Create a complex datatype in OBAPI.
This datatype must extend `com.ofss.digx.datatype.complex.MaskedIndirectedObject`
2. Define a 'masking qualifier' and a 'masking attribute'
3. Configure this masking qualifier and masking attribute in `DIGX_FW_CONFIG_ALL_B`. An example of the configurations for account number mask is given below

```

INSERT INTO digx_fw_config_all_b (PROP_ID, CATEGORY_ID, PROP_VALUE,
FACTORY_SHIPPED_FLAG, PROP_COMMENTS, SUMMARY_TEXT, CREATED_BY, CREATION_DATE,
LAST_UPDATED_BY, LAST_UPDATED_DATE, OBJECT_STATUS, OBJECT_VERSION_NUMBER)

VALUES ('*.account_id', 'Masking', 'AccountNumberMasking<', 'Y', null, null,
'ofssuser', sysdate, 'ofssuser', sysdate, 'A', 1);

INSERT INTO digx_fw_config_all_b (PROP_ID, CATEGORY_ID, PROP_VALUE,
FACTORY_SHIPPED_FLAG, PROP_COMMENTS, SUMMARY_TEXT, CREATED_BY, CREATION_DATE,
LAST_UPDATED_BY, LAST_UPDATED_DATE, OBJECT_STATUS, OBJECT_VERSION_NUMBER)

VALUES ('AccountNumberMasking', 'MaskingPattern', 'xxxxxxxxxxxxNNNN', 'Y',
null, null, 'ofssuser', sysdate, 'ofssuser', sysdate, 'A', 1);

```

With above steps, the OBAPI framework will make sure to mask the data of this data type during serialization phase in the REST tier.

The masking pattern can contain following characters

1. N – Original character in the data will be retained
2. H – Original character in the data will be skipped
3. * (Or any other placeholder character) – Original character in the data will be replaced with this character

5

Access Control for Audit Information

OBAPI provides mechanism for maintaining audit trail of transactions / activities done by its users in the system.

This audit trail is expected to be used for customer support, dispute handling. It can also be used for generating some management reports related to feature usage statistics etc.

From a data protection perspective it is worth noting that the audit trail contains.

PII data in the form of transactional data as well as usage trends or statistics. Hence it is necessary for the Bank to put in place appropriate access control mechanisms so that only authorized Bank employees get access to this data. OBAPI provides comprehensive access control mechanism that the Bank can leverage to achieve this.

This access control can be achieved using the role based transaction mapping. This section focuses specifically from data protection aspect. You are requested to go through the user manual for 'Role Transaction Mapping' before reading further in this section. As an example, we have considered a use case where the Bank wants to restrict access to 'Audit Log' feature so that only the permitted set of administration users will be able to access audit of the users. Please note that same process can be applied to other services that deal with PII data. For example, same process can be used for restricting access to user management functions.

Check the 'out of box' access granted

There are two ways to check the Audit Information

- Maintenance
- Utilization

Maintenance (Performed by system admin)

1. Log in using Authadmin credentials.
2. Go to tab **Role Transaction Mapping**.
3. Find application role named "**AuditAdmin**" or "**AuthAdmin**".

Role Transaction Mapping

User Type: All

Application Role Name: _____

[Search](#) [Cancel](#) [Clear](#)

Application Role Details

[Internal](#) [External](#)

Administrator	
AdminMaker	AdminMakerDisplayName
AdminChecker	AdminCheckerDisplayName
AuthAdmin	AuthAdminDisplayName
payment	asa
AuditAdmin	AuditDisplayName

Note

An Application may have several Application Roles for different type of users under different User Segments i.e. Retail, Corporate and Admin.

These roles can be defined for internal as well as for external Access points and various transactions needs to be mapped to it.

Click below to create an Application Role and map it to various transactions for selected access points.

[Create](#)

4. Click on **AuditAdmin** and click on edit symbol as shown.

Role Transaction Mapping

Application Role Name: **AuditAdmin**

Description: **AuditDisplayName**

User Type: **Administrator**

Access Type: **INTERNAL**

Module Name: _____

Map Transactions to Touch Points

☐ Mobile Application ☐ Mobile (Responsive) ☐ Internet ☐ Missed Call Banking ☐ SMS Banking ☐ Wearables ☐ Snapshot

☐ Siri/Chatbot

Transactions	Perform	Approve	View
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

No data to display.

[Delete](#) [Cancel](#) [Back](#)

[Click here to edit transaction mapping](#)

5. Assign module name “**Admin Maintenance**” and check “**Internet**”.

Role Transaction Mapping

Application Role Name: **AuditAdmin**

Description: **AuditDisplayName**

User Type: **Administrator**

Access Type: **INTERNAL**

Module Name: **Admin Maintenance**

Map Transactions to Touch Points:

- ☐ Mobile Application
- ☐ Mobile (Responsive)
- ☒ Internet
- ☐ Missed Call Banking
- ☐ SMS Banking
- ☐ Wearables
- ☐ Snapshot
- ☐ Siri/Chatbot

Next **Back**


Copyright © 2006, 2017, Oracle and/or its affiliates. All rights reserved. | Security Information | Terms and Conditions

6. Under Admin maintenance give access of Module name Audit log to it and click **Save**.

Internet


Transactions	Perform	Approve	View
<input type="checkbox"/> Admin Maintenance	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> ATM/Branch Maintenance			
<input type="checkbox"/> Access Point Maintenance			
<input type="checkbox"/> Account Relationship Mapping			
<input type="checkbox"/> Alert Maintenance			
<input type="checkbox"/> Approvals- Workflow Configuration			
<input checked="" type="checkbox"/> Audit Log			
<input checked="" type="checkbox"/> Inquire Audit Log	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

7. Click **Submit**.




Utilization

1. Go to **User Management**.
2. Click **Create user**.



3. Select **Administrator**.



4. Fill necessary details.

A screenshot of the same Oracle User Management 'users-create' page, but now the form fields are populated. The 'User Type' dropdown is set to 'Administrator'. The 'Organization' field contains 'Oracle', 'Manager' contains 'ABC', and 'Employee Number' contains '121212'. The 'User Name' field contains 'AuditAdminUser' and has a green 'Available' status next to it. The 'Title' dropdown is set to 'Mr'. The 'First Name' field contains 'AuditAdminUser', 'Middle Name' is empty, 'Last Name' contains 'AuditAdminUser', and 'Date of Birth' is set to '04 Sep 2018' with a calendar icon.

5. Select **AuditAdmin** or **Authadmin** as an application role.

Applications Places Google Chrome Tue 19:03

User Management - x

Not secure | mum00chx:3333/index.html?module=authadmin&page=users-create

Address Line 4

Country India

City mumbai

Zip Code 123

Roles

- ☐ AdminMaker
- ☐ AdminChecker
- ☐ AuthAdmin
- ☐ payment
- ☒ AuditAdmin

Select Touch Points

- ☐ Mobile Application
- ☐ Mobile (Responsive)
- ☒ Internet
- ☐ Missed Call Banking
- ☐ SMS Banking
- ☐ Wearables
- ☐ Snapshot
- ☐ Siri/Chatbot

Add Accessible Entity

Save Cancel Back

6. Click **Submit**.

Applications Places Google Chrome Tue 19:04

User Create - ZigBee - x

Not secure | mum00chx:3333/index.html?module=authadmin&page=confirm-screen

CONFIRMATION


Maintenance completed successfully.

Reference Number	0509AB91A9AB
Status	Completed


Ok


Copyright © 2006, 2017, Oracle and/or its affiliates. All rights reserved. | Security Information | Terms and Conditions

7. Log in using created user.



8. User can access audit log.






6

User exporting the PII data


This functionality will allow to download of user wise PII in CSV formats.

Administrator


1. Login as administrator.



2. Click on **User Management** and search for any user (Corporate User/ Administrator / Retail User), then clicked on the any “User Name” from the list of search users.




3. Click on the **Download Profile** link.




Business User


1. Login as Business User (Retail/Corporate/Admin).



2. Click on the **Profile**.



3. Click on the **Download Profile** link.



7

Third Party Consents

This option enables the user to manage the access provided to third party application(s).

The user can define the fine-grained entitlements i.e. account level access along with a set of transactions for the third party. The user can disable the access for a specific third party application whenever required.

Note

Only those third party applications for which the user has registered and given rights to access his/her accounts for inquiries and transactions, will appear on this page.

How to reach here:

Dashboard → Toggle Menu → Account Settings → My Preferences → Third Party Application
OR

Dashboard → My Profile → Profile → Third Party Application

Third Party Apps

ZigBank

Welcome, Ashok Jain
Last login: 23 Jun 06:47 PM

Third Party Consents

Profile
Primary Account Num...
Alerts/Notifications
Third Party Apps
Security and Login
Settings

MODEL Solutions **epay**

Application Access: ☒ Granted

Current & Savings | Term Deposits | Loans

☒ xxxxxxxxxxxx0035 - Savings Account Class 1

<input checked="" type="checkbox"/> Map All Transactions	<input checked="" type="checkbox"/> CASA Inquiries	<input checked="" type="checkbox"/> CASA Interest Certificate	<input checked="" type="checkbox"/> Party CASA Interest Certificate	<input checked="" type="checkbox"/> Inquire Sweep-In Instruction
<input checked="" type="checkbox"/> Sweep-In Instruction	<input checked="" type="checkbox"/> Create Sweep-In Instruction	<input checked="" type="checkbox"/> Delete Sweep-In Instruction		
<input checked="" type="checkbox"/> Loans	<input checked="" type="checkbox"/> Loan Settlement			
<input checked="" type="checkbox"/> CASA	<input checked="" type="checkbox"/> Replace Debit card	<input checked="" type="checkbox"/> Allow International Transaction on DC	<input checked="" type="checkbox"/> Request DC Limit Change	<input checked="" type="checkbox"/> Request Debit Card Pin
<input checked="" type="checkbox"/> Term Deposits - Financial	<input checked="" type="checkbox"/> Cheque Book Request	<input checked="" type="checkbox"/> Apply Debit Card	<input checked="" type="checkbox"/> Validate Card Details	<input checked="" type="checkbox"/> Reset Debit Card Pin
<input checked="" type="checkbox"/> All Inquiry Transactions	<input checked="" type="checkbox"/> Term Deposits - Financial	<input checked="" type="checkbox"/> TD Top Up	<input checked="" type="checkbox"/> Request Demand Deposit Statement	<input checked="" type="checkbox"/> Demand Deposit Electronic Statement Download
<input checked="" type="checkbox"/> CASA Inquiries			<input checked="" type="checkbox"/> Stop/Unblock Cheque	<input checked="" type="checkbox"/> Block Debit Card
			<input checked="" type="checkbox"/> List Demand Deposit Electronic Statement	

☐ xxxxxxxxxxxx0037 - Savings Account Class 1
☐ xxxxxxxxxxxx0046 - Savings Account Class 1

Edit **Cancel**

[Back To Dashboard](#)

Copyright © 2006, 2017, Oracle and/or its affiliates. All rights reserved. | [Security Information](#) | [Terms and Conditions](#)

Field Description

Field Name	Description
Third Party Application Name	The names of the third party applications are displayed. Select a third party application to define access to the application.
Application Access	The option to define whether access for the application is to be provided or not. If access is granted, then the user can revoke access and if it was revoked, then the user can grant access whenever required.
Current and Savings/ Term Deposits/ Loans and Finances	Select a product to define account and transaction level access to the third party.

1. Select the third party application for which you wish to define fine gain access.
2. The system will display the list of accounts under each of the account types along with the transactions
3. Click **Edit** to modify account and transaction access. The **Third Party Consents –Edit**
4. The screen with values in editable form appears.

OR

Click **Cancel** to cancel the operation and to navigate back to the Dashboard.

OR

Click **Back to Dashboard** to go to the Dashboard.

Third Party Apps - Edit

ZigBank Welcome, Mary Doe
Last login 12 Jun 04:41 PM

Third Party Consents

Profile
Primary Account Num...
Alerts/Notifications
Third Party Apps
Security and Login
Settings

Application Access ☒ Granted

Current and Savings Term Deposits Loans and Finances

☒ xxxxxxxxxxxx0020 - Savings Account - Regular

☒ Map All Transactions

☒ CASA Inquiries

☒ CASA Interest Certificate ☒ Party CASA Interest Certificate

☒ CASA

☒ E-Statement Subscription ☒ Demand Deposit Electronic Statement Download ☒ List Demand Deposit Electronic Statement ☒ Request Demand Deposit Statement

☒ Payments

☒ Domestic Payment ☒ International Draft ☒ Bill Payment ☒ Domestic Draft

☒ International Payout ☒ External Transfer ☒ Internal Transfer ☒ PeerToPeer Transfer

☒ Instruction Cancellation ☒ Self Transfer

☒ All Inquiry Transactions

☒ Payments Inquiries ☒ CASA Inquiries

☐ xxxxxxxxxxxx0018 - Savings Account - Regular

Save **Back** **Cancel**

[Back To Dashboard](#)

Copyright © 2006, 2017, Oracle and/or its affiliates. All rights reserved. | [Security Information](#) | [Terms and Conditions](#)

Field Description

Field Name	Description
Third Party Application Name	The names of the third party applications are displayed. Select a third party application to define access to accounts and transactions.
Application Access	The option to define whether access for the application is to be provided or not.
Current and Savings/ Term Deposits/ Loans and Finances	Select a product to define account level access to the third party.
Accounts	All the accounts of the user are displayed under the respective account type.
Transactions	Once you select an account, all the transactions through which the account can be accessed are displayed. Select any or all transactions to provide account access for the transactions to the third party application.

1. Click the **Application Access** button to enable / disable access for the third party application.
 - a. If you select **Enable**,
 - i. Click an account type.

The account check boxes are enabled and you can select/deselect any check box to edit access of these accounts to the third party application.
 - ii. Select an account check box.

The transactions for which the selected account can be accessed appear.
 - iii. Select/Deselect all or any of the transaction checkboxes to define the transactions through which the selected account can be accessed.
2. Click **Save** to save the changes.

OR

Click **Back** to go back to previous screen.

OR

Click **Cancel** cancel the operation and navigate back to 'Dashboard'.
3. The **Third Party Consents – Review** screen appears. Verify the details, and click **Confirm**.

OR

Click **Back** to go back to previous screen.

OR

Click **Cancel** cancel the operation and navigate back to Dashboard.
4. The success message of third party consent setup appears along with the transaction reference number.
5. Click **OK** to complete the transaction and to navigate back to the Dashboard.

8

Device ID Consents

OBAPI framework provides a facility to enables the alternate login via Pin, pattern or touch ID.

1. On the login page, user will get the “Enable Alternate login” functionality. User needs to enable this for alternate login as pin, pattern or touch ID.



Username

rickgrimes

Password

.....

Enable Alternate Login



Login

[Forgot User Id](#)

| [Forgot Password](#)

Quick Snapshot



Scan To Pay



ATM & Branch




Claim Money




Tools &
Calculators

Hi,How Can I Help You?

2. Once user enables the functionality then, “Select Login Method” pop up will come from which user can select the alternate login method.




3. Once user will select the appropriate option, Notification of permission to store the device id message will display before setting up the alternate login method.



Unregister the Device ID

In the Settings page, user can disable the alternate login from all mobile devices.



Index

A

Access Control for Audit Information, [1](#)
Administration of PII Data, [1](#)

B

Background, [1](#)

D

Data stored in OBAPI, [1](#)
Data stored outside OBAPI, [3](#)
Deleting or Purging PII data, [3](#), [4](#)
Device ID Consents, [1](#)

E

Extracting PII data, [1](#)

F

Flow of PII Data, [1](#)

M

Masking of PII data, [7](#)

O

Objective, [1](#)

P

Personally Identifiable Information (PII), [1](#)

S

Scope, [1](#)

T

Third Party Consents, [1](#)

U

User exporting the PII data, [1](#)
Using purge procedures, [4](#)
Using User Interface, [3](#)