

Oracle® Banking Liquidity Management Cloud Service

Oracle Banking Liquidity Management Cloud Service Archival User Guide



Release 14.8.1.0.0
G45753-01
October 2025

ORACLE®

G45753-01

Copyright © Oracle and/or its affiliates.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software, software documentation, data (as defined in the Federal Acquisition Regulation), or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software," "commercial computer software documentation," or "limited rights data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle®, Java, MySQL, and NetSuite are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

Contents

Preface

Purpose	i
Audience	i
Documentation Accessibility	i
Critical Patches	i
Diversity and Inclusion	ii
Related Documents	ii
Conventions	ii
Acronyms and Abbreviations	ii

1 Introduction

2 Archival Job Execution Flow

3 Scheduling the Archival Jobs

4 Supported Archival Usecases

Index

Preface

- [Purpose](#)
This guide helps the users to understand archival setup.
- [Audience](#)
- [Documentation Accessibility](#)
- [Critical Patches](#)
- [Diversity and Inclusion](#)
- [Related Documents](#)
- [Conventions](#)
- [Acronyms and Abbreviations](#)
This guide helps the users to understand archival setup.

Purpose

This guide helps the users to understand archival setup.

Audience

This guide is intended for the software developers and software testers.

Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc>.

Access to Oracle Support

Oracle customer access to and use of Oracle support services will be pursuant to the terms and conditions specified in their Oracle order for the applicable services.

Critical Patches

Oracle advises customers to get all their security vulnerability information from the Oracle Critical Patch Update Advisory, which is available at [Critical Patches, Security Alerts and Bulletins](#). All critical patches should be applied in a timely manner to ensure effective security, as strongly recommended by [Oracle Software Security Assurance](#).

Diversity and Inclusion

Oracle is fully committed to diversity and inclusion. Oracle respects and values having a diverse workforce that increases thought leadership and innovation. As part of our initiative to build a more inclusive culture that positively impacts our employees, customers, and partners, we are working to remove insensitive terms from our products and documentation. We are also mindful of the necessity to maintain compatibility with our customers' existing technologies and the need to ensure continuity of service as Oracle's offerings and industry standards evolve. Because of these technical constraints, our effort to remove insensitive terms is ongoing and will take time and external cooperation.

Related Documents

The related documents are as follows:

- *Oracle Banking Common Core User Guide*
- *Oracle Banking Security Management System User Guide*
- *Oracle Banking Getting Started User Guide*
- *Oracle Banking Liquidity Management User Guide*
- *Oracle Banking Liquidity Management Configuration Guide*
- *Oracle Banking Liquidity Management File Upload User Guide*

Conventions

The following text conventions are used in this document:

Convention	Meaning
boldface	Boldface type indicates graphical user interface elements associated with an action, or terms defined in text or the glossary.
<i>italic</i>	Italic type indicates book titles, emphasis, or placeholder variables for which you supply particular values.
<code>monospace</code>	Monospace type indicates commands within a paragraph, URLs, code in examples, text that appears on the screen, or text that you enter.

Acronyms and Abbreviations

This guide helps the users to understand archival setup.

The list of acronyms and abbreviations that are used in this guide are as follows:

Table 1 Acronyms and Abbreviations

Abbreviation	Description
API	Application Programming Interface

1

Introduction

This guide provides the background information on archival jobs.

This guide explains how to schedule and monitor archival and purge jobs. User can set these jobs up using CRON expressions to run at specific intervals, and we recommend scheduling them daily or more often. Each job manages a Task Flow that connects to one or more Tasks, which the system carries out based on set frequencies and retention policies. You can use the terms Task Flow and Execution Flow in place of each other.

For Detailed Information, refer to **Oracle Banking Microservices Platform Foundation User Guide**.

2

Archival Job Execution Flow

This topic provides information about the Archival Job Execution Flow.

Archival is the first step where eligible data aging more than the archival retention period is deleted from domain tables and moved to Archival tables. Archived data is purged in the 2nd step where eligible data aging more than the purge retention period is deleted and moved to purge tables. Finally eligible data aging more than the delete retention period is permanently deleted from purge tables.

Each of the job checks for the retention periods in the following order in single execution cycle.

ARCHIVAL_RETENTION_PERIOD

The system transfers records that have met the ARCHIVAL_RETENTION_PERIOD for the Task Flow from the domain schema tables to the archival schema tables.

PURGE_RETENTION_PERIOD

Checks for records that have reached PURGE_RETENTION_PERIOD for the Task Flow. All matching records are moved from archival schema tables to purge schema tables.

DELETE_RETENTION_PERIOD

Checks for records that have reached DELETE_RETENTION_PERIOD for the Task Flow. All matching records are deleted permanently from Purge schema tables.

Table 2-1 Execution Order

Retention Type	Data Movement
ARCHIVAL_RETENTION_PERIOD	Move from Domain Schema Tables to Archival Schema Tables
PURGE_RETENTION_PERIOD	Move from Archival Schema Tables to Purge Schema Tables
DELETE_RETENTION_PERIOD	Delete from Purge Schema Tables

You can modify these default retention periods.

3

Scheduling the Archival Jobs

This topic provides information about the Archival Jobs.

These jobs can be scheduled under **Configure Tasks** screen via CRON expressions.

Configuration Requirements

1. **CRON Expression:** Users need to set up the CRON expression to specify how often the job runs. For instance, the CRON expression ``0 */10 * * *`` means the job will execute every 10 minutes, daily.
2. **Task Trigger Name:** When user selects a Task Name, the task trigger name will set itself automatically. However, it is advisable to provide a clear name, especially when user adds extra trigger parameters for specific branches.
3. **Additional Trigger Parameters:** To enable branch-specific account closure, extra parameters must be provided in the **Additional Trigger Parameters** field. The supported format is `key:::value`. For instance, `branchCode:::000;userId:::ADMINUSER1`.
4. **Priority of Parameters:** The `branchCode` and `userId` in the **Additional Trigger Parameters** take precedence over default values.
 - **Default Values:** If Branch Code and `userId` are missing in the Additional Trigger Parameters, the default values from the PROPERTIES will be used. Make sure that the following entries contain valid user and branch code values, as well as the necessary roles to execute the job:
 - a. APPLICATION = "plato-batch-server", KEY = "batchServer.userId", VALUE = "<user-id>"
 - b. APPLICATION = "plato-batch-server", KEY = "batchServer.branchCode", VALUE = "<branch-code>"
5. **Saving the Configuration:** Save the configuration, and the job will be scheduled according to the provided CRON expression.

For Detailed Information, refer to **Oracle Banking Microservices Platform Foundation User Guide**

4

Supported Archival Usecases

This topic explains intraday tasks that operate throughout the day according to the set frequency.

Oracle Banking Liquidity Management includes different settings for audit archiving. Users can check these configurations in the **Oracle Banking Microservices Platform Foundation User Guide**, and they can schedule them using the Jobs listed below.

Note

1. Each job listed is connected to a subdomain that manages all set up and pre-installed Task Flows. One scheduling configuration is sufficient for every job.
2. Current release supports archival of only single table and does not support archival of tables where parent-child relation exists.

1. oblm-sweep-services

Table 4-1 oblm-sweep-services

Service Name	Batch Job Name	Function/Sub-Function	Table Name	Archival Condition Details
oblm-sweep-services	OBLM_archivalJob_LMS_INT_001	Sweeps logs	LMS_TB_SWEEP_LOG	logTime <= RETENTION_PERIOD
		Reverse sweeps logs	LMS_TB_REVERSE_SWEEP_LOG	logTime <= RETENTION_PERIOD

2. oblm-pool-services

Table 4-2 oblm-pool-services

Service Name	Batch Job Name	Function/Sub-Function	Table Name	Archival Condition Details
oblm-pool-services	OBLM_archivalJob_LMP_INT_001	Pool Logs	LMP_TB_POOL_LOG	logTime <= RETENTION_PERIOD
		Interest reallocation	LMP_TB_REALLOCATION_DETAIL	logTime <= RETENTION_PERIOD
		Reallocation logs	LMP_TB_REALLOCATION_LOG	logTime <= RETENTION_PERIOD

Index

A

Archival Job Execution Flow, [1](#)

S

Scheduling the Archival Jobs, [1](#)
Supported Archival Usecases, [1](#)