

Oracle® Banking Operational Ledger Installation Guide



Release 14.8.2.0.0

G53433-01

April 2026

ORACLE®

Copyright © 2026, Oracle and/or its affiliates.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software, software documentation, data (as defined in the Federal Acquisition Regulation), or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software," "commercial computer software documentation," or "limited rights data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle®, Java, MySQL, and NetSuite are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

Contents

Preface

Purpose	i
Acronyms and Abbreviations	i
Audience	i
Critical Patches	i
Conventions	ii
Diversity and Inclusion	ii
Documentation Accessibility	ii
Related Resources	ii

1 Database Setup

2 Domain and Cluster Configuration

3 Data Source Creation

4 Deployments

5 Restarts and Refresh

6 Logging Area

Index

Preface

This topic contains the following sub-topics:

- [Purpose](#)
- [Acronyms and Abbreviations](#)
- [Audience](#)
- [Critical Patches](#)
- [Conventions](#)
- [Diversity and Inclusion](#)
- [Documentation Accessibility](#)
- [Related Resources](#)

Purpose

This guide helps the user to perform the initial setup for Oracle Banking Operational Ledger service. The procedures given in this document must be completed to run the application successfully.

Acronyms and Abbreviations

The list of the acronyms and abbreviations used in this guide are as follows:

Table 1 Acronyms table

Abbreviation	Description
OBOL	Oracle Banking Operational Ledger
SMS	Security Management System
JDK	Java Development Kit

Audience

This document is intended for admin or ops-web team who are responsible for installing the Oracle Financial Software Service banking products.

Critical Patches

Oracle advises customers to get all their security vulnerability information from the Oracle Critical Patch Update Advisory, which is available at [Critical Patches, Security Alerts and](#)

[Bulletins](#). All critical patches should be applied in a timely manner to ensure effective security, as strongly recommended by [Oracle Software Security Assurance](#).

Conventions

The following text conventions are used in this document:

Table 2 Conventions

Convention	Meaning
boldface	Boldface type indicates graphical user interface elements associated with an action, or terms defined in text or the glossary.
<i>italic</i>	Italic type indicates book titles, emphasis, or placeholder variables for which you supply particular values.
monospace	Monospace type indicates commands within a paragraph, URLs, code in examples, text that appears on the screen, or text that you enter.

Diversity and Inclusion

Oracle is fully committed to diversity and inclusion. Oracle respects and values having a diverse workforce that increases thought leadership and innovation. As part of our initiative to build a more inclusive culture that positively impacts our employees, customers, and partners, we are working to remove insensitive terms from our products and documentation. We are also mindful of the necessity to maintain compatibility with our customers' existing technologies and the need to ensure continuity of service as Oracle's offerings and industry standards evolve. Because of these technical constraints, our effort to remove insensitive terms is ongoing and will take time and external cooperation.

Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc>.

Access to Oracle Support

Oracle customer access to and use of Oracle support services will be pursuant to the terms and conditions specified in their Oracle order for the applicable services.

Related Resources

For more information on any related features, user can refer to the following documents:

- *Oracle Banking Operational Ledger User Guide*
- *Oracle Banking Micro-services Architecture Guides*

1

Database Setup

This topic provides information about database setup. Use OBOL service schemas and SMS schemas to setup database.

Introduction

This topic explains about setting up database related configuration for OBOL Installation.

Pre-requisite

Database Setup

Below setup is dependent on OBOL service schemas and SMS schemas. So, before user proceed with below setup ensure OBOL service schemas and SMS Schema is provided to user.

To setup DB for OBOL schema's to be created.

Table 1-1 Database Setup

Service Name	Schema Required
OBOL-TRANSACTION-ACCOUNTING-SERVICES	Yes
OBOL-TRANSACTION-BATCH-SERVICES	Yes
OBOL-TRANSACTION-PROCESSING-SERVICES	Yes

2

Domain and Cluster Configuration

This topic describes information about domain and cluster configuration to create Oracle Banking Operational Ledger domain.

Prerequisites

1. Make sure Java JDK 17.0.18 is installed on your machine.
2. Check that Oracle Fusion Middle ware 14c (14.1.2) is installed on your machine.
3. Steps to create an OBOL domain include changing properties such as port numbers and names based on the domain. Screenshots are provided for these changes. The process for creating the domain stays the same.

Steps to Create Domain

It is advised to use separate managed servers within a single domain for each application. To set up the domain and its configuration, please see the **How to Create and Cluster Configuration** section in the **Configuration and Deployment Guide**.

3


Data Source Creation

This topic describes information about data source creation. Use database and application setup for OBOL services must be performed prior to deployment setup.

Prerequisite

The data sources for the respective micro-services must be created first before the application deployment. Each of the data source target to their corresponding servers on which the application will be deployed. The following sections explain the list of data sources required to be created for OBOL services and the steps to configure them in the server.

Figure 3-1 Data Source Creation



Data sources List

The table below lists the data sources to be created on each domain prior to deployment of applications onto managed servers.

Table 3-1 Data Source List

Data Source Name	Data Source JNDI	Targets
OBOLACCTNG	jdbc/OBOLACCTNG	OBOL Managed Server

Steps to create data source in WebLogic is same for all the above except for the connection details and names.

For creating data source, refer **How to create Data Sources** section in **Configuration and Deployment guide**.

4


Deployments

Use database setup and data sources creation prior to the application deployment stage.

Pre-requisite

Each service is linked to a specific war file that must be deployed on the server. The next sections detail the list of war files for the OBOL service and the steps required to deploy them on the server.

Figure 4-1 Deployments



- Environment variables need to be set, refer **Configuration and Deployment Guide**.
- For any issues with fly configuration setup, refer **Observability Guide**.

Deployments List

Below table gives details of the deployments required on each domain for the OBOL applications to run. Deploy one after other in the same given order.

Table 4-1 Deployments List

Application	Archive Name	OSDC Path	Targets
OBOL-TRANSACTION-ACCOUNTING-SERVICES	obol-transaction-accounting-services - x.x.x.war	{Unzip OSDC Package} \OBOL_SERVICES\ obol-transaction-accounting-services \	OBOL Managed Server
OBOL-TRANSACTION-BATCH-SERVICES	obol-transaction-batch-services -x.x.x.war	{Unzip OSDC Package} \OBOL_SERVICES\ obol-transaction-batch-services	OBOL Managed Server

Table 4-1 (Cont.) Deployments List

Application	Archive Name	OSDC Path	Targets
OBOL-TRANSACTION-PROCESSING-SERVICES	obol-transaction-processing-services - x.x.x.war	{Unzip OSDC Package} \OBOL_SERVICES\ obol-transaction-processing-services \	OBOL Managed Server

5

Restarts and Refresh

Use restart to restart all managed servers and refresh to update the configuration properties.

Once everything is deployed, restart all the managed servers. And for each application call path “/refresh” to refresh the configuration properties.

To restart the server, see the restart section in the **Configuration and Deployment Guide**.

6

Logging Area

Introduction

Use logging area for deployment of Common Core Applications in WebLogic server.

Logging Area

This section talks about the logs area were after deployment of Common Core Applications in WebLogic server.

Common Core Application writes logs in the below area of the server-

```
<WEBLOGIC_DOMAIN_CONFIG_AREA>/servers/OBOLAPP/logs/OBOLAPP.out
```

Logging area for Common core would be

```
/scratch/oracle/middleware/user_projects/domains/CommonCore_domain
```

Let's assume a domain has been created OBOL_domain with managed_server name called OBOL in the following area of the server.

```
/scratch/oracle/middleware/user_projects/domains/OBOL_domain/servers/OBOLAPP/  
logs/OBOLAPP.out
```

Index

D

Data Source Creation, [1](#)
Database Setup, [1](#)
Deployments, [1](#)
Domain and Cluster Configuration, [1](#)

L

Logging Area, [1](#)

R

Restarts and Refresh, [1](#)