

What's New for Oracle Analytics Desktop

Here's an overview of the new features and enhancements we've added to improve your Oracle Analytics Desktop experience. It's organized by when a specific feature or enhancement became available.

Topics:

- [January 2026 \(26.01\)](#)
- [Earlier Features and Enhancements](#)

For the latest Oracle Analytics news, product features and updates, customer and partner stories, and market insights, see <https://blogs.oracle.com/analytics>.

Note

The User's Guide for Oracle Analytics Desktop is only available in English as of the January 2025 update.

January 2026 (26.01)

Exploring, Dashboarding, and Storytelling

Feature	Description
Include vector layers in maps	Enhance your maps with polygon and shapes leveraging vector layer based features. See Use Vector Map Layers in Map Visualizations .
Increased data limits for the network visualization	The data limit for a network visualization is increased to 2,000 rows or 50 columns. See Network Graphs .
Quickly access custom workbook states	Use the redesigned State Menu to more easily change to any custom state. See Change the Workbook State .
Set multiple data actions for a value displayed as a link in tables and pivots	Select more than one data action with the On Click Action property in workbook tables and pivots. See Display Values in Table and Pivot Visualizations as Links .

Earlier Features and Enhancements

- [November 2025 \(8.7\)](#)
- [September 2025 \(8.6\)](#)
- [July 2025 \(8.5\)](#)
- [May 2025 \(8.4\)](#)
- [March 2025 \(8.3\)](#)
- [January 2025 \(8.2\)](#)
- [November 2024 \(8.1\)](#)
- [September 2024 \(8.0\)](#)
- [July 2024 \(7.9\)](#)
- [May 2024 \(7.8\)](#)
- [March 2024 \(7.7\)](#)
- [January 2024 \(7.6\)](#)
- [November 2023 \(7.5\)](#)

November 2025 (8.7)

Exploring, Dashboarding, and Storytelling

Feature	Description
Access export options from the visualization toolbar	Access export options from the visualization toolbar to share workbook content more easily. See Export a Visualization .
Bind parameters to request variables for specific visualizations	Bind a parameter to a request variable to temporarily set the request variable to the parameter's value for an individual visualization instead of the whole workbook. See Bind a Parameter to a Request Variable .
Create conditional formatting rules on dates	Create conditional formatting rules on date-time columns for date comparison. For example, highlight projects in red where a resolved date is greater than a target date. See Example - Highlight Data by Date .
Create Gantt chart visualizations	Visualize project timelines and track progress using a Gantt chart. See Gantt Charts .
Enhancements to Create a Parameter interface	Create parameters based on the double column data type more easily in workbooks. See Create a Parameter that Uses a Logical SQL Query for a Double Column .
Position the values in horizontal bar gauge visualizations	Specify the position of the values in horizontal bar gauge visualizations to avoid label overlap. See Configure the Properties for a Gauge .

Data Connectivity, Modeling, and Preparation

Feature	Description
Load more rows using a data flow	Load up to five million rows per data source using a data flow. See Data Flow Limits .
Use a subject area in a data flow	Use a subject area directly as a data source in a data flow. See Create a Dataset Using a Data Flow .

September 2025 (8.6)

Exploring, Dashboarding, and Storytelling

Feature	Description
Align cell values in table and pivot visualizations	Change the position of the values within table or pivot cells to be left, right, or center aligned.
Apply conditional formatting rules to totals and subtotals in table and pivot visualizations	Choose whether to apply a conditional formatting rule to all data, or to specific totals or subtotals in a table or pivot visualization. See What Can I Do With Conditional Formatting? .
Create a more app-like user experience in workbooks	Provide workbook users with navigation options and data action links to create a more app-like user experience. See Button Bars .
Create data actions for non-data content	Create Data Actions for non-data content in workbooks, such as buttons. See Create a Button Bar .
Create Mekko charts	Create Mekko charts using stacked bar charts with varying column sizes based on a measure. See Create a Mekko Chart in Oracle Analytics .
Enhanced display of data actions	Display only data actions that consumer users have access to in workbooks. See Hide Inaccessible Data Actions in a Workbook for Consumers in Present .
Enhancements to new canvas experience	When you create a new canvas in a workbook, the blank canvas now describes the options for how to start creating visualizations.
Export and share workbooks or visualizations in different formats more easily	Export and share workbooks or visualizations in different formats more easily using an expanded user interface. See Export Workbook Content in Various Formats .
Improved consumer workbook experience	In consumer mode, when a consumer selects a visualization on a canvas, the visualization is no longer highlighted with a border.
Open workbooks in the original state	Workbooks open in the Original State by default unless you've specifically set a different state as the default workbook state. See Set the Default Workbook State .
Select individual cells in table visualizations	Select one or more specific cells in tables, rather than an entire row, so you can copy more precise data values. See Selecting Data in Tables and Pivots .
Use derived date columns with subject areas	Use the derived date columns available for any Date, Time, or Timestamp column in a subject area when you want different levels of granularity for that column in your workbooks. See Derived Dates in Workbooks .

Feature	Description
Use the simplified Personalization option in Present	In Present, use the simplified Personalization toggle to enable or disable personalization for workbook users. The individual Filter and Parameter personalization options are removed. See Turn Workbook Personalization On or Off in Present.

Data Connectivity, Modeling, and Preparation

Feature	Description
Add column descriptions to generated datasets	Add column descriptions when you use a data flow to create a dataset to assist consumers in understanding the column contents. Use the Save Data step in the data flow editor to describe dataset columns. See Create a Dataset Using a Data Flow.
Filter data based on columns in multiple tables	Filter data based on columns in multiple tables in a dataset. For example, Geo.State='TX' or Contact.State='TX'. See Filter Data at the Dataset-Level.

July 2025 (8.5)

Exploring, Dashboarding, and Storytelling

Feature	Description
Access the visualization toolbar more easily	Access the visualization toolbar more easily and position it when in 'Freeform' layout in workbooks.
Add more powerful dynamic lines to maps	Add more powerful dynamic lines to maps in workbooks. Oracle Analytics now supports curved and bi-directional lines, directional arrows, attribute-based linking, and geometry support. See Dynamic Line Map Layers.
Change the label positioning for linear gauges	Change the position of the range labels for vertical and horizontal gauges to make them easier to read. See Configure the Properties for a Gauge.
Create NULL selection steps for level hierarchies	Use the Nulls operator in a selection step to specify which levels in a level-based hierarchy you want to include or exclude null values for. See Selection Steps Action and Operator Reference.
Format parameters that are Date, Time, or Timestamp data types	Customize the format for parameters that are Date, Time, or Timestamp data types. See About Parameter Properties.
Format headers and data headers differently in pivots	Format the header cells and data header cells in pivot visualizations differently to make them easier to read. See Format Headers in Pivot Visualizations.
Save a custom workbook state without making filter personalizations	Save the current state of a workbook as a custom state without making any filter personalizations first. This way you can save the workbook in the state it appears when you open a workbook URL that's been shared with you. See Create a Custom Workbook State.

Augmented Analytics and Machine Learning

Feature	Description
Use the Prophet forecasting model to forecast numerical values over time	Use the Prophet forecasting model to forecast numerical values over time in workbooks. Prophet uses a curve fitting approach, similar to BSTS models, except that it uses generalized additive models instead of a state-space representation. See What Statistical Analytics Can I Add to Visualizations? .

May 2025 (8.4)

Exploring, Dashboarding, and Storytelling

Feature	Description
Add a reference line using a derived date column	Enhance a visualization by adding a reference line or reference band using a derived date column. (For datasets only.) See Add a Reference Line to a Visualization .
Analyze historic data from Google Analytics	Analyze historic data from Google Analytics in workbooks. See Create a Dataset from Google Analytics V4 .
Bind parameters to reference lines that use attribute columns	Control a reference line or band on a visualization by binding parameters to reference line values or reference band ranges that use attribute columns. See Bind a Reference Line or Band to a Parameter .
Create linear gauge visualizations	Visualize single metric values in vertical or horizontal bar gauges to measure their performance. See About Gauge Visualizations .
Dynamic Lines on Maps	Use dynamic lines to automatically represent straight lines between specified start and end coordinates on a map. See Represent Connections Between Coordinates on a Map Visualization .
Load local subject area queries from the cache to maximize performance	Maximize workbook performance by configuring datasets based on local subject areas to load from the cache. During dataset creation, set Data Access Mode to "Extracted" for local subject areas. See Choosing a Data Access Type for Dataset Tables .
Set the default workbook layout for the mobile app to Desktop Mode	Use the new Desktop Mode option for the Mobile Experience property in Present to set the workbook to open in a desktop format in the Oracle Analytics mobile app. See Specify the Workbook Layout for the Mobile App in Present .
Use selection steps in workbooks	Add selection steps in the filter bar, as dashboard filter controls, or directly to visualizations to refine the data displayed in visualizations that use hierarchical columns. See Use Selection Steps .

March 2025 (8.3)

Exploring, Dashboarding, and Storytelling

Feature	Description
Access display options in visualizations more easily	Access display options more easily from the visualization toolbar. For example, change options such as keep selected, and remove selected, and data action. See Tips on Editing a Visualization .
Control the default workbook layout for the mobile app	Use the Mobile Experience property in Present to specify the default workbook layout when a user opens the workbook in the Oracle Analytics mobile app. See Specify the Workbook Layout for the Mobile App in Present .
Create and save multiple personalized workbook states	Save a workbook in a state with specific filters applied and give the state a custom name. You can save multiple states and choose which one to apply when you open the workbook again. See Use Filter Personalizations .
Create gauge visualizations	Visualize single metric values in circular or semi-circular gauges to measure their performance. See Use Gauge Visualizations .
Customize label names for totals	Label totals with a custom name to provide more meaningful analytics to workbook users. See Create Custom Labels for Grand Totals in Tables and Pivots .
Hide all Color and Shape columns	Hide one or more columns in the Color and Shape sections of the Grammar pane so that you can hide a column in both the visualization and its legend. See About Hidden Columns .
Display negative percentage values	Display negative percentage values in visualizations. See Format Numeric Values of Visualizations .
Enable workbook users to invoke data actions more easily	Enable workbook users to invoke data actions more easily using a single click on a data column. See Display Values in Table and Pivot Visualizations as Links .
Sort calculations and calculation folders more easily	Make workbooks more usable by sorting folders and calculations alphabetically. See Create a Folder to Store Calculations in a Workbook .
Use selection steps in workbooks	Add selection steps in the workbook filter bar to filter hierarchical columns in visualizations to refine the data displayed. See About Selection Steps .

January 2025 (8.2)

Exploring, Dashboarding, and Storytelling

Feature	Description
Add conditional formatting for attributes	Format data in workbooks using conditional rules based on attribute values. See Add Conditional Formatting to Data .
Customize tooltips in more visualization types	Provide customized tooltips for workbook users in visualizations of type Maps, Sunburst, Network, and Boxplot. See Customize Visualization Tooltips .
Hide columns in visualizations	Configure a visualization using a column that isn't visible to end users. See Hide Columns in Visualizations .
Provide workbook users with customized tooltips	Include parameters such as Current Date in customized tooltips for workbook users. See Customize Visualization Tooltips .

Data Connectivity, Modeling, and Preparation

Feature	Description
Add data more easily using an enhanced user-interface	Add data to workbooks more easily by resizing the Add Data dialog and columns to make metadata easier to read. See Add Data to a Workbook .
Load multiple sheets simultaneously	Add spreadsheet data to workbooks more easily by including data from multiple sheets. See Create a Dataset from a File Uploaded from Your Computer .

November 2024 (8.1)

Exploring, Dashboarding, and Storytelling

Feature	Description
Create custom tooltips in workbooks	Create custom tooltips in workbooks to provide formatted column descriptions for workbook users. See Customize Visualization Tooltips .
Design datasets more easily	Design datasets more easily using the enhanced Join Diagram editor. Enhancements included global reset, free-form node placement, and new icons in nodes to show data settings. See Add Joins Between Dataset Tables .
Locate tables more easily	Locate tables more easily when you design workbooks using a homepage style search area in the Add Data dialog.
Organize your workbook calculations	Organize your workbook calculations and functions into subfolders in the My Calculations area. See Create a Folder to Store Calculations in a Workbook .
Style your dashboard filter controls	Style the filter selectors in your dashboard filter control by displaying or hiding the outline. Available for both the Standard and Filter Chip styles. See Dashboard Filter General Properties .
Use parameters to show or hide a visualization	Show or hide a visualization on a canvas based on the selected value of a parameter to provide a more interactive dashboard experience. See Use a Parameter to Conditionally Show or Hide a Visualization .

September 2024 (8.0)

Exploring, Dashboarding, and Storytelling

Feature	Description
Bind parameters to request variables	Bind a parameter to a request variable to temporarily set the request variable to the parameter's value for a specific workbook query. See Bind a Parameter to a Request Variable .
Convert workbook filters to dashboard filters	Move and convert all unpinned workbook filters to dashboard filters to utilize the functionality, filter styles, and personalization options that dashboard filters provide. See Convert Workbook Filters to Dashboard Filters .

Feature	Description
Create calculation-based groups more easily	Create calculation-based groups in workbooks more easily without having to create expressions. See Create Group Calculations in a Workbook .
Create calculations more easily	Include nested calculations more easily in the workbook expression builder. See Create Reusable Functions and Calculations in a Workbook .
Create parameters with derived dates	Choose derived date columns such as Year, Quarter, and Month to create parameters for a date or datetime data type column. See About Parameter Properties .
Deploy static reference layers to maps	Add static reference map layers to your map visualizations even when there's no business data related to these layers. For example, show a map of schools and overlay a tornado path map layer to identify buildings at risk. See Apply Reference Layers to Map Visualizations .
Display multiple legends in a workbook	Use a legend visualization to group legends in one place, and improve the end-user experience when viewing data. See Create a Legend Visualization .
Select filter styles for dashboard filters	Specify dashboard filter style and formatting to provide a better on canvas consumer filtering experience. See Change the Dashboard Filter Style .
Switch between auto and manual Present modes	Easily locate the icon to switch between auto and manual modes in Present. Improved descriptions explain what happens when you switch between modes. See Switch Between Auto and Manual Modes in Present .

Data Connectivity, Modeling, and Preparation

Feature	Description
Calculate duration more easily	Calculate duration in workbooks more easily between two dates or timestamps in your dataset. For example, calculation duration in years, quarters, months, weeks and so on. See Transform Editor Reference .
Create more efficient workbooks	Create more efficient workbooks by making the underlying dataset query performance more consistent. Set the Data Access Mode to Automatic Caching to take advantage of this feature.

July 2024 (7.9)

Exploring, Dashboarding, and Storytelling

Feature	Description
Apply conditional formatting to totals and subtotals	Apply conditional formatting to totals and subtotals in workbooks. See What Can I Do with Conditional Formatting?
Create canvases with enhanced layout	Select multiple visualizations to display equally on a canvas. See Display Multiple Visualizations Equally on a Canvas .

Feature	Description
Create improved Sankey visualizations	Create improved Sankey diagrams to show resources, materials, and costs in workbooks. Use the Node Height Stretch property for enhancements such as node width adjustment, column height, placement and display of data labels and their font properties, and node gap ratio transparency. See Network Graphs.
Create precise relative time workbook filters	Create precise relative time workbook filters by excluding partial periods. See Apply Relative Time Filters.
Deploy vector-based map backgrounds	Analyze geographical data using the DataViz vector tiles map backgrounds, optimized for use in Data Visualization. See Use Different Map Backgrounds in a Workbook.
Get notified about filter personalizations	Get notified when opening a workbook that has filter personalizations applied to it. See About Filter Personalizations.
Launch Data Actions in new ways	Launch Data Actions in new ways using new launch options in workbooks. See Create Data Actions to Connect Canvases.

Augmented Analytics and Machine Learning

Feature	Description
Review useful metadata AutoML models	Review useful metadata about models generated by AutoML using the model inspector tab in workbooks. See What Are a Predictive Model's Related Datasets?

May 2024 (7.8)

Exploring, Dashboarding, and Storytelling

Feature	Description
Bind a parameter to exclude filter values	Bind a parameter to a workbook, dashboard, or visualization filter's Exclude property to pass excluded values between filters. See Create and Bind a Parameter to Exclude Filter Values.
Export content to Excel from embedded visualizations	Export table and pivot table data in Microsoft Excel format from embedded workbooks. See Export a Visualization.
Design canvas layouts to control how visualizations display on different screen sizes	Use the Responsive Canvas editor to design and optimize canvas layouts for the browser on different devices, for example mobile, tablet, or laptop. See Design Canvas Layouts for Different Screen Sizes.
Add an Inline List filter selector to dashboards	Use the Inline List dashboard filter to allow users to select a single data value (radio buttons) or multiple data values (checkboxes). See About Dashboard Filters.

March 2024 (7.7)

Exploring, Dashboarding, and Storytelling

Feature	Description
Add emojis and icons to more visualization types	Enhance composite and tile visualizations with emojis and icons. See What Can I Do With Conditional Formatting?
Bind parameters to reference lines	Bind a parameter to a reference line or reference band date value or range to place the visualization's reference line or band based on date values the user specifies. See Bind a Reference Line or Band to a Parameter.
Control how workbook consumers configure maps	Control how workbook consumers can select shapes in map visualizations. See Apply Multiple Data Layers on a Single Map Visualization.
Display negative numbers in red	Display data labels and tooltips containing negative numbers in red in visualizations. See Format Numeric Values of Visualizations.
Display reference lines in attribute columns	Display reference lines in attribute columns in visualizations. See Add Reference Lines to Visualizations.
Bind parameters to relative time filters	Bind a parameter to a relative time filter to dynamically update a visualization based on user input to relative time periods. See Create and Bind a Parameter to a Filter.
Bind parameters to Top/Bottom N filters	Bind a parameter to a Top/Bottom N filter to dynamically update a visualization based on user input to top and bottom filter values. See Create and Bind a Parameter to a Filter.

Augmented Analytics and Machine Learning

Feature	Description
Assess machine learning models using quality metrics	Access machine learning models generated by AutoML using quality metrics accessed from a new Quality tab in the inspect model dialog. See Assess a Predictive Model's Quality.

January 2024 (7.6)

Exploring, Dashboarding, and Storytelling

Feature	Description
Annotate workbook data with icons and emojis	Annotate table and pivot table labels with icons and emojis based on conditional formatting rules in workbooks. See What Can I Do With Conditional Formatting?
Choose a parameter's initial value from the list of available values	Create a workbook parameter with a list of available values and then select the parameter's initial value from a drop-down list of the available values. See About Parameter Properties.
Control zoom in workbooks	Customize workbooks using Present for consumers to have zoom controls when viewing workbook content. See Show or Hide the Zoom Button for Consumers in Present
Draw reference lines for time based category columns	Draw reference lines, format, and control the z-order of reference lines for date and date-time category columns in workbooks. See Add Reference Lines to Visualizations.

Feature	Description
Export table data to Excel format	Export formatted data from workbook tables or pivot tables to Excel. See Export Formatted Data from a Visualization to Excel .
Format colors in regions and point layers	Select colors in workbooks for regions and point layers in map layer properties. See Apply Multiple Data Layers on a Single Map Visualization .
Format negative y-axis values	View 100% stacked bar charts with a negative y-axis for negative values in workbooks. See Bar Graphs .
Format parameter values	Format numeric parameter values based on the workbook user's locale. See About Parameter Properties .
Format the line thickness in maps	Select the line thickness in a line map layer in workbooks. See Apply Multiple Data Layers on a Single Map Visualization .
Localize custom workbook details	Localize custom user strings in workbooks such as workbook name, canvas name, visualization title, and custom labels. See Localize Data Visualization Workbook Captions .
Personalize workbook filter values	Persist dashboard filter selections, visualization filters selections, and any visualizations with Use as Filter enabled when you reopen the workbook. Choose to revert personalized selections to the author-defined workbook. Turn off filter personalizations in the workbook's presentation flow. See About Filter Personalizations and Specify Personalization Options in Present .
Specify workbook and canvas header toolbar options	(No longer preview, on by default) Use Present to show or hide toolbar options such as export, refresh data, notes, undo and redo, and revert personalizations at the workbook level. Override the workbook toolbar options at the canvas level. See Select Workbook Toolbar Options in Present and Select Canvas Visualization Toolbar Options in Present .
Specify workbook and canvas visualization toolbar and menu options	(No longer preview, on by default) Use Present to show or hide visualization toolbar and menu options at the workbook level, and override the visualization toolbar and menu settings at the canvas level. See Specify the Workbook Visualization Actions in Present and Specify Canvas Visualization Menu Options in Present .
Style maps more easily	Style regions, points, and border lines in map visualizations display using default widths and colors if not customized by the user. See Enhance Visualizations with Map Backgrounds .
Use calculation columns for parameter available values	Choose a calculated column from the workbook's My Calculation folder to provide the parameter's available values. See About Parameter Properties .

Data Connectivity, Modeling, and Preparation

Feature	Description
Merge data tables by column name	Merge data tables by column name in addition to the existing merge by column position when you use the Union Rows step in data flows for workbook data. See What Steps Can I Use to Organize and Integrate My Data?

November 2023 (7.5)

Exploring, Dashboarding, and Storytelling

Feature	Description
Adjust the workbook filter bar	Specify the workbook's filter bar options in Present. Choose to make filters read-only; hide the filter menu; or add, remove, or disable filters. See Specify Workbook Filter Options in Present.
Bind parameters to range filters	Bind parameters to a range filter's start and end date values or minimum and maximum numeric values in workbooks. See Create and Bind a Parameter to a Filter.
Configure line properties and transparency in line, area, combo, and overlay charts.	Configure line style, thickness, and transparency properties in line, area, combo, and overlay charts in workbooks. See Change the Pattern and Width of Lines in Graphs.
Create and manage watchlists as a consumer user	Create and manage watchlists as a consumer user to provide easy access to your favorite workbook visualizations. See Set the Workbook Properties in Present, Set Canvas Properties in Present, and About Watchlists.
Create parameters for subject area double columns	Use aliases and key values options to create parameters for double columns in workbooks. See Create and Bind a Parameter to a Double Column Type Filter and Create a Parameter that Uses a Logical SQL Query for a Double Column.
Format negative numbers in red more easily	Use a single click to quickly change the display format of negative numbers to red in workbooks. See Format Numeric Values of Visualizations.
Format numbers with abbreviations in visualizations	Use single letters to represent the abbreviation of large measure numbers in workbook visualizations. See Set Scale Options for Numbers and Currency Values .
Format pieces of maps	Format pieces of map visualizations such as colors of borders and outlines, and widths of points, lines, and regions in workbooks. See Add an Outline to Points and Shapes on a Map.
Label tree maps and grid heatmaps	Label tree maps and grid heatmaps in workbooks, with advanced properties. See Add Data Labels to a Map.
List box dashboard filter options	Use the custom values, null selectors, and All values options to specify a list box dashboard filter's selection options in workbooks. See About the Dashboard Filter.
Navigate canvases using top tabs	Choose the Top Tab workbook navigation style in Present to add the canvas navigation control to the top of workbooks. See Specify the Workbook Canvas Navigation in Present.
Pass aliases in data actions	Include aliases in parameters to send display values for each key value for target workbooks included in a data action. See About Parameter Properties.
Prompt dashboard users for filter values	Specify if the user is required to select a value for a parameter used as a dashboard filter in workbooks. See Create and Bind a Parameter to a List Box Dashboard Filter.
Specify workbook and canvas header toolbar options	Use Present to show or hide toolbar options such as export, refresh data, notes, undo and redo, and revert personalizations at the workbook level. Override the workbook toolbar options at the canvas level. See Select the Workbook Toolbar Options in Present and Select Canvas Visualization Toolbar Options in Present.

Feature	Description
Specify workbook and canvas visualization toolbar and menu options	Use Present to show or hide visualization toolbar and menu options at the workbook level, and override the visualization toolbar and menu settings at the canvas level. See Specify the Workbook Visualization Actions in Present and Specify Canvas Visualization Menu Options in Present.

Data Connectivity, Modeling, and Preparation

Feature	Description
Aggregate text columns in data flows	Aggregate text columns in data flows using various predefined delimiters. See What Steps Can I Use to Organize and Integrate My Data?.
Connect to Delta Share	Use Delta Share as a data source for workbooks. See Supported Data Sources.
Connect to Google Analytics V4	Use Google Analytics V4 as a data source for workbooks. See Supported Data Sources.
Enrich your data from the visualize canvas	Enrich your workbook data more easily by dragging data items based on knowledge enrichments onto the visualize canvas. In the data elements tree, look for an arrow indicating the availability of knowledge enrichments for each classified column. See Using Knowledge Enrichments in the Workbook Editor.

Oracle Analytics What's New for Oracle Analytics Desktop, E76890-55

Copyright © 2016, 2026, Oracle and/or its affiliates. All rights reserved.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software, software documentation, data (as defined in the Federal Acquisition Regulation), or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software," "commercial computer software documentation," or "limited rights data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle®, Java, MySQL, and NetSuite are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

This document describes new features and other notable changes for Oracle Analytics Desktop.